



中国驰名商标

SHARPNESS

湖北玉立砂带集团股份有限公司 **2013**

HUBEI YULI ABRASIVE BELTS GROUP CO., LTD.

www.sharpness.com.cn

用犀利砂带 磨世界不平

To Rub the Word's Unsmoothness Using Sharpness Abrasive Belt



中国驰名商标

湖北玉立砂带集团股份有限公司

HUBEI YULI ABRASIVE BELT GROUP CO.,LTD.


湖北玉立砂带集团创立于1978年,通过34年平稳、健康、快速发展,现已成为一家拥有生产、研发区占地面积50万m²,文化、生活区占地面积12万m²,员工3000人,年产值10亿元的涂附磨具专业公司。公司拥有主导产品砂带、砂布、砂纸、异型四大系列产品80个品种及1000种规格,是目前中国乃至亚洲产品品种最齐全、规模最大的涂附磨具企业。公司拥有砂纸生产线7条,砂带生产线4条,砂布生产线1条,异型生产线5条,全进口转换线一条。同时向上游产业链延伸,有自己的造纸、纺织、化工、油漆车间,还有专门的员工培训基地。多数产品远销世界五大洲的60多个国家和地区,主导品种国内市场占有率达70%以上,犀利牌砂带、砂布、砂纸及其异型系列产品多次荣获中华人民共和国国务院、国家质监总局、国家工商总局、中国工商联、中国机床工具工业协会等颁发的国家级殊荣。

公司通过了ISO9001:2000国际质量体系认证,“犀利牌”钢纸系列产品为国内唯一通过欧盟MPA标准认证的产品,“犀利牌”系列产品荣获“全国出口免验商品”称号,公司成为国内同行业和湖北省内首家获得出口免验资格的企业。2011年,公司被授予“国家高新技术企业”和“国家火炬计划重点高新技术企业”;2011年5月“犀利”牌商标被评定为“中国驰名商标”。公司成立三十四年来,先后被评为“全国诚信守法乡镇企业”、“中国机床工具工业协会‘精心创品牌十佳企业’”、“全国机电产品出口先进单位”、“全国最佳经济效益乡镇企业”、“全国民营优秀思想政治工作企业”、“全国重合同守信用单位”、“全国就业与社会保障先进单位”、“全省企业党建红旗单位”、“湖北省先进基层党组织”、“湖北省优秀民营企业”、“湖北省外贸出口先进单位”、“湖北省和谐劳动关系优秀企业”、“湖北省模范劳动关系和谐企业”、“湖北省具有带动力民营龙头企业”、“湖北省十大扶贫突出贡献企业”和“湖北省纳税信用等级A级纳税人”等数十项国家和省级荣誉。

Hubei Yuli Abrasive Belt Group is the largest professional coated abrasive manufacturer in Asia with a full range of coated abrasives,also it is an enterprise with a long chain integrating scientific research,production,operation and process of materials.The share of leading product in domestic market is over 70% and its brand "SHARPNESS" is entitled as Famous Trademark of china.Exported to over 60 countries and regions,its sanding belt,emery cloth and fibre disc,have won the national honors awarded by the State Council,the National Quality monitoring Bureau,SAIC,National Federation of Private Enterprises and CMTBA.The group get EU.MPA certificate and is entitled by the National Quality monitoring Bureau as China's export inspection exemption enterprise.

以誠待天下 以信立門戶

Treat the world sincerely and start career with faith



集团公司一览
OVERVIEW

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue,TongCheng County,Hubei,China 437400


电话(Tel): ++86(0)715-4322107 4324488 传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

HEAVY ABRASIVE BELTS

锆刚玉砂带



DZY72

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 excellent		●	●		P40-P60

适用范围:超重型涂层砂带,具有良好的耐热性和防堵塞性能,强度高,机械磨削性能好。主要用于金属、合金、硬质非金属的超重负荷磨削。如高尔夫球头的打磨。

Ultra-heavy polyester cloth backing, with high strength, good machinery property, heat-resistance and anti-clogging. For heavy load polishing of titanium alloy, stainless steel, precision casting and exercise equipment.

DZY71

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 good		●	●	●	P36-P400

适用范围:超重型砂带,具有很高的强度和机械性能,适合做成各种砂带,用于超重负荷磨削。主要用于:黑色金属和有色金属行业,铸铁、铸钢、合金钢和高碳钢、锰钢、不锈钢、钛合金、人造板的磨削和抛光。

Ultra-heavy polyester cloth backing, with high strength, good machinery property. Suit for making belts. For polishing of ferrous metal, nonferrous metal, hard nonmetal and board.



中国驰名商标

地址:中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488


传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

HEAVY ABRASIVE BELTS

硬布堆积磨料砂带



MDJ841

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	氧化锆白刚玉 氧化锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 excellent		●	●		P80-P600

适用范围:堆积磨料砂带,强度高、延伸率小、具有很高的磨削精度和使用寿命。适合转换成各类宽窄砂带,对各类金属,特别是不锈钢、钛合金等工件的重负荷磨削和抛光。

Ultra-heavy polyester cloth backing, with high strength, good machinery property, heat-resistance and anti-clogging. For heavy load polishing of titanium alloy, stainless steel, precision casting and exercise equipment.

MDJ641

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化锆白刚玉 氧化锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 excellent		●	●		P80-P1200

适用范围:堆积磨料砂带,磨削寿命长,磨削一致性好,磨削热低。适合转换成窄带对各类金属表面拉丝,高精度金属材料的磨削和抛光。

Ultra-heavy polyester cloth backing, with high strength, good machinery property, heat-resistance and anti-clogging. For heavy load polishing of titanium alloy, stainless steel, precision casting and exercise equipment.

MDJ741

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化锆白刚玉 氧化锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 excellent		●	●		P80-P600

适用范围:堆积磨料砂带,平整度好、磨削精度高,使用寿命长,具有很好的强度和柔韧性,适合转换成窄带,对不锈钢、钛合金、五金工具、厨具等进行拉丝或抛光。

Ultra-heavy polyester cloth backing, with high strength, good machinery property, heat-resistance and anti-clogging. For heavy load polishing of titanium alloy, stainless steel, precision casting and exercise equipment.



中国驰名商标

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488


传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

HEAVY ABRASIVE BELTS

DCY. BCY71 板材砂帶



DCY71

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	碳化硅 silicon carbide	密 close coated	1400	良好 excellent		●	●		P24-P600

适用范围：超重型砂带，具有很高的强度和极小的延伸率，特别适合做成高速、重负荷宽幅大砂带用于加工各种板材。如高密度纤维板、中密度纤维板、石膏板、硅钙板及大理石、陶瓷、玻璃塑料等材质的打磨和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

BCY71

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	碳化硅 silicon carbide	密 close coated	1400	良好 excellent		●	●		P24-P600

适用范围：重型砂带，具有很高的强度和机械磨削性能，适合转换各种宽砂带用于中密度纤维板、刨花板、装饰板等人造板的磨削和抛光。

Heavy blend cloth backing, with high strength and good machinery property, suit for making wide belts. For polishing and finishing of boards.

C98

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	碳化硅 silicon carbide	密 close coated	1400	良好 excellent		●	●		P24-P600

适用范围：重型砂带，具有很高的强度和机械磨削性能，适合转换各种宽砂带用板面的磨削和抛光。主要用于：中密度板、刨花板、装饰板等的磨削和抛光。也用于玻璃、陶瓷、橡胶、塑料、大理石、家具等的磨削和抛光。

Soft cloth backing, with higher strength and anti-clogging. Suit for making narrow belts. For polishing and finishing of soft metal, such as aluminium alloy, copper and so on.



中国驰名商标

地址：中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488


传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

HEAVY ABRASIVE BELTS

金属磨削砂带



TKX66

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 polyester cloth	特殊磨料 silicon carbide	密 close coated	1400	良好 excellent		●	●		P24-P400

适用范围: 重型砂带, 适合于各种金属, 带材, 板材表面拉丝及金属制品的磨削和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

TZX69

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 polyester cloth	锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 excellent		●	●		P24-P400

适用范围: 重型砂带, 耐水性好, 适合于不锈钢、钛合金等难磨金属的打磨和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

TKJ58

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 polyester cloth	氧化铝 aluminum oxide	密 close coated	1400	良好 excellent		●	●		P24-P400

适用范围: 中软布基砂带, 具有适当的强度和柔软性, 适于加工成各种小砂带。主要用于各种金属铸铁、不锈钢不规则型面的打磨和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.



中国驰名商标

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

FLEXIBLE ABRASIVE BELTS

软布基砂带

ALJ461

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1400	良好 excellent		●	●	●	P60-P600

适用范围: 柔软布基砂带, 适合加工成各种异型制品, 如丝轮、八卦砂。主要用于皮革、木材、家具的磨削和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

JB-5

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1400	良好 excellent			●	●	P24-P400

适用范围: 柔软布基砂带, 强度较小, 易于手撕, 用于手工磨削, 不适宜做砂带。主要用于: 各种曲面及异型面的磨削和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

JB-8

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1400	良好 excellent			●	●	P24-P400

适用范围: 中软布基砂带, 具有适当的强度和柔软性, 适于加工成各种小砂带。主要用于各种金属铸铁、不锈钢不规则型面的打磨和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

软布涂层砂带

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1400	良好 excellent		●	●	●	P24-P400

适用范围: 软基涂层砂带, 柔软性好, 磨削持久, 脱屑性好。用于有色金属和家具行业的抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.



中国驰名商标

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China. 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

PAPER ABRASIVE BELTS

高档张页水砂纸



高档张页水砂纸

Wet/Dry silicon carbide
paper sheet

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	碳化硅 氧化铝 aluminumoxide	密 close coated	230X280	良好 excellent		●			P60-P2000

适用范围: 耐水性好, 柔软性好, 适用家俱油漆及填充料加工及汽车修理行业等。

High quality, waterproof, soft. For polishing and finishing of paint, metal, nonmetal.



中国驰名商标

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488


传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

树脂砂轮切割片



树脂钹型砂轮 Newly-developed fibre disc

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 碳化硅 aluminumoxide	R.T.Q	定制 customize	良好 excellent				●	P24-P60

适用范围: 主要是安装在电动或气动角磨机上对金属和各种非金属材料的型面进行除锈、去毛刺、去漆、打磨焊缝、也是机械修理工作中磨削、磨平、磨光、刮研的理想工具、同时也广泛用于家具行业的边角打磨和雕花。

Used on angle grinder for removing rust, burr, paint and so on. For polishing in machinery repairing and furniture making.

树脂切割砂轮 Fibre abrasive disc

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 碳化硅 aluminumoxide	R.T.Q	定制 customize	良好 excellent			●	●	P24-P60

适用范围: 主要是安装在固定式或手提电动切割机对所有金属和混凝土产品, 砖瓦片, 马路修整切等进行切割。

Used on angle grinder for removing rust, burr, paint and so on. For polishing in machinery repairing and furniture making.



中国驰名商标

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

泡沫 海绵磨块




泡沫 海绵磨块 Foam/Sponge abrasive pads

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminumoxide 碳化硅 siliconcarbide	密 close coated	定制 customize	良好 excellent					P60-P400

适用范围：使用方便、利用率高、具有很好的弹性和一定的硬度，不会划坏工件、并可根据工件的形状而变化，被广泛用于各种不规则及复杂加工面的磨削。

Convenient, efficient, with good flexibility and suitable hardness. For polishing complex surface of workpiece.



中国驰名商标

地址：中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

网格砂布



网格砂布

Abrasive screen

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
合成纤维 synthetic fiber	氧化铝 aluminum oxide 碳化硅 silicon carbide	密 close coated	定制 customize	良好 good	可定制各种形状 various shapes can be customized				P60-P400

适用范围：是一种新型防堵塞精密抛光工具、磨削、抛光散热和去屑性能良好，有两个工具面，可双面磨削。

A new polishing and finishing tool. Having two working surface, with good performance of polishing and finishing, anti-clogging, heat eliminating.



中国驰名商标

地址：中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

拉绒不干胶砂盘




拉绒不干胶砂盘 Velcro/sticky abrasive disc

基体 backing	磨料 abrasives	结构 structure			形状 shape				粒度范围 grit range
		植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminumoxide 碳化硅 siliconcarbide 棕刚玉	密 close coated	定制 customize	良好 good	可定制各种形状 various shapes can be customized				P60-P400

适用范围：适用于电动、气动工具对各种木料、家俱、汽车、电子等行业的打磨和抛光。

Used on power tool or pneumatic tool. For polishing and finishing of wood, furniture.



中国驰名商标

地址：中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

百叶片系列

百叶片 Flap disc

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminum oxide 锆刚玉 zirconium aluminum oxide	密 close coated	72片/72 pcs 46片/46 pcs 37片/37 pcs g	良好 good				●	P60-P400

适用范围：广泛用于不锈钢制品、汽车制造、造船、模具、仪器、医疗器械的除锈、修整和抛光及各种焊缝的打磨和抛光。效率高、同步性好、散热性好、不烧伤工件。

With high efficiency, good heat eliminating and synchronization. Hurtless to workpiece. Widely used for rusting removing, welding line trimming, polishing and finishing.

干页轮 Flap wheel

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminum oxide 锆刚玉 zirconium aluminum oxide	密 close coated	定制 customize	一般 generally				●	P60-P400

适用范围：弹性强，磨削量大，高效，长寿命，主要用于金属、非金属表面的抛光，对复杂型面进行修整、去毛刺、除锈等。

With good flexibility and dust removal, high efficiency and long working life time. Mainly used for polishing the surface of metal, non-metal, removing rust and burr etc.



中国驰名商标

地址：中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488


传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

不织布系列



尼龙轮 nylon grinding wheel

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	棕刚玉 锆刚玉 zirconium aluminum oxide	密 close coated	定制 customize	良好 good				●	P60-P600

适用范围：广泛用于不锈钢制品、汽车制造、造船、模具、仪器、医疗器械的除锈、修整和抛光及各种焊缝的打磨和抛光。效率高、同步性好、散热性好、不烧伤工件。

With high efficiency, good heat eliminating and synchronization. Hurtless to workpiece. Widely used for rusting removing, welding line trimming, polishing and finishing.

尼龙砂带 nylon grinding abrasive belt

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	棕刚玉 锆刚玉 zirconium aluminum oxide	密 close coated	定制 customize	一般 generally		●		●	P60-P600

适用范围：弹性强，磨削量大，高效，长寿命，主要用于金属、非金属表面的抛光，对复杂型面进行修焊缝、去毛刺、除锈等。With good flexibility and dust removal, high efficiency and long working life time. Mainly used for polishing the surface of metal, non-metal, removing rust and burr etc.



中国驰名商标

地址：中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488


传真(Fax): ++86(0)715-4352111 4322718

http://www.sharpness.com.cn

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

FLEXIBE ABRASIVE BELTS

防堵塞布基砂帶



防堵塞布基砂帶

Anti-loading abrasive belt with cloth backing

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 water proofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	碳化硅 aluminum oxide 氧化铝 aluminum 白刚玉 white aluminum oxide 锆刚玉 zirconium aluminum oxide	间歇式 interval	1500	良好 excellent		●	●		P60-P400

适用范围: 间歇性植砂, 磨削效率高, 脱屑性好, 散热性好, 主要用于各种软金属。家具等易堵塞工件
High efficiency, good dust removal and good heat emission. mainly used for grinding and polishing the easyloading workpieces, such as soft metal and furniture, etc.



中国驰名商标

地址: 中国湖北省通城县玉立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488

传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>

用犀利砂带 磨世界不平

To Rub the World's Unsmoothness
Using XILI Abrasive Belts

Sales: Ms. Sally Leo

Mobile: +86-13926501701

Skype: sally_leo

Email: sally@sharpness.com.cn

地址: 中国湖北省通城县五立大道218号

ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400

电话(Tel): ++86(0)715-4322107 4324488 传真(Fax): ++86(0)715-4352111 4322718

<http://www.sharpness.com.cn>