用犀利砂带 磨世界不平

Using sharpness abrasive belt
Grinding the unsmoothness of the world

湖北玉立砂带集团股份有限公司
地址：湖北通城玉立大道218号　邮编：437400
电话：+86(0)715-4324488 4322107
传真：+86(0)715-4352111 4322718
网址：http://www.sharpness.com.cn
https://sharpness.en.alibaba.com/
玉立研磨商城：http://mall.sharpness.com.cn/

HUBEI YULI ABRASIVE BELTS GROUP CO.,LTD.
Add:No.218, Yuli Avenue, Tongcheng County, Hubei, China 437400
Tel:+86(0)715-4324488 4322107
FAX:+86(0)715-4352111 4322718
HOMEPAGE：http://www.sharpness.com.cn

SHARPNESS

SHARPNESS

湖北玉立砂带集团股份有限公司 2017
HUBEI YULI ABRASIVE BELTS GROUP CO.,LTD.

涂附磨具系列产品

coated abrasives

TAX51

金属专用砂卷

Rigid sanding belt for metal

重型砂带，采用先进工艺制造，强度高、耐热性好，防堵散热性能优异。适用范围：主要用于各种金属及金属板材、带材的表面拉丝以及金属工具制品的磨削和抛光。

Xwt cloth backing, high strength and good heat resistance, anti-clogging and heat dissipation. Generally used for polishing and grinding all kinds of metals and metal panels and metal drawing.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36-P320

GXK51-Fe

氧化铝砂带

Aluminum Oxide sanding belt

适用范围：用于一般金属及非金属的磨削加工和抛光。

Xwt blended cloth backing. Generally used for metal and nonmetal polishing.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36-P320

BKY71

氧化铝强力砂带

Aluminum Oxide rigid sanding belt

重型砂带，具有很高的强度和机械磨削性能。适用范围：适合转换各种砂带用于金属和非金属的磨削和抛光。

Yxt polyester cloth backing, high strength and mechanical grinding efficiency. Generally used for making belts to polish metal and nonmetal parts.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P40-P320

KX167

氧化铝砂带

Aluminum Oxide sanding belt

适用范围：家具行业、地板行业、装饰行业的磨削和抛光。

Xwt blended cloth backing. Generally used for furniture, wood floors, decoration industry.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●	●	P36-P320

GXK51-P

氧化铝多功能砂带

Aluminum Oxide multifunction sanding belt

适用范围：家具行业、地板行业、装饰行业的磨削和抛光。

Xwt blended cloth backing. Generally used for furniture, wood floors, decoration industry.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36-P800

GXK51-LD

氧化铝砂带

Aluminum Oxide sanding belt

适用范围：适合于窄成卷砂带，用于一般金属及非金属的磨削加工和抛光。

Xwt blended cloth backing, suitable for making narrow belts. Generally used for metal and nonmetal polishing.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36-P320

CONVERSION ABRASIVES

异型产品系列

高档钢纸砂盘
Superior fiber disc

适用范围：主要用于安装在电动或气动角磨机上对金属和各种非金属材料的剂面进行除锈、去毛刺、去渍、打磨焊缝，也是机械修理工作中磨削、磨平、磨光、刮研的理想工具，同时也广泛用于家具行业的边角打磨和雕花。

Import vulcanized fibre paper backing. Generally equipped onto grinders to polish on metal and nonmetal for rust removing, deburring, varnish removing, welding joint grinding. And normally used for grinding on furniture edges and carving.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
进口钢纸 fibre disc	4" 4.5" 5" 6" 7"	良好 good		●		●	P24–P180

普通钢纸砂盘
Normal fiber disc

适用范围：主要用于安装在电动或气动角磨机上对金属和各种非金属材料的剂面进行除锈、去毛刺、去渍、打磨焊缝，也是机械修理工作中磨削、磨平、磨光、刮研的理想工具，同时也广泛用于家具行业的边角打磨和雕花。

Normal vulcanized fibre paper backing. Generally equipped onto grinders to polish on metal and nonmetal for rust removing, deburring, varnish removing, welding joint grinding. And normally used for grinding on furniture edges and carving.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
进口钢纸 fibre disc	4" 4.5" 5" 6" 7"	良好 good		●		●	P24–P180

锆刚玉钢纸砂盘
Zirconium fiber disc

适用范围：主要用于安装在电动或气动角磨机上对各种难磨金属和非金属材料的剂面进行除锈、去毛刺、去渍、打磨焊缝，也是机械修理工作中磨削、磨平、磨光、刮研的理想工具，同时也广泛用于家具行业的边角打磨和雕花。

Import vulcanized fibre paper backing. Generally equipped onto grinders to polish on metal and nonmetal for rust removing, deburring, varnish removing, welding joint grinding. And normally used for

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
进口钢纸 fibre disc	4" 4.5" 5" 6" 7"	良好 good		●		●	P24–P180

泡沫磨块
Sanding sponge

适用范围：使用方便、利用率高、具有很好的弹性和一定的韧性，不会划坏工件，并可根据工件的形状而变化，被广泛用于各种不规则及复杂加工面的磨削。

Made of sponge/foam. Very convenient and economic, soft and flexible, can be used to polish on all complex surfaces and corners

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
海绵泡沫 sponge foam	定制 customize	良好 good	可定制各种块状 various shapes can be customized				P60–P400

不干胶砂盘
Adhesive sanding disc

适用范围：适用于电动、气动工具对各种木料、家具、汽车、电子等行业的打磨和抛光。

Backed by adhesive paper, easy to be sticked onto power tools to polish on wood, furniture, automotive and electronics.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	定制 customize	良好 good	可制成各种形状 任何不干胶背衬基底盘 various shapes can be customized				P60–P2000

平面砂布轮
Flap disc

适用范围：广泛用于不锈钢制品、汽车制造、造船、模具、仪器、医疗器械的除锈、修整和抛光及各种焊缝的打磨和抛光。效率高、同步消耗性好、散热性好、不烧伤工件。

Options: calcined AO, SIC, ZA. Generally used for rust removing, repairing and polishing on many industries such as, inox products, automotive, vessel, molding, equipments, medical instruments.very high efficiency and heat dissipation, good conformity of sanding and no burn to the work piece.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	115/125 pcs 4.5/5 inch 3/10/27 pcs	良好 good				●	P40–P400

千页轮
Flap wheel

弹性强，磨削量大，高效，长寿命。适用范围：主要用于金属、非金属表面的抛光，对复杂型面进行修焊缝、去毛刺、除锈等。

Good resilience and sanding efficiency, high speed polishing, long lasting usage. Generally used for rust removing, deburring and welding joint grinding on metal and nonmetal.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	定制 customize	一般 generally				●	P40–P400



POLYESTER FILM AND SANDING SCREEN

薄膜及网格产品

聚酯薄膜产品
Polyester film sanding roll

平整度好，精密度高。适用范围：适用于各种精密电子元件、电路板、汽车及汽车轮毂、轴承内芯的精密抛光。

Polyester film backing, good flatness and high accuracy. Generally used for polishing electronics, PCB, automotive and wheel hubs, axle core.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯薄膜 polyester film	1400	良好 good	●	●	●	●	P60–P1200

乳胶薄膜产品
Latex polyester film sanding roll

产品平整柔韧，强度高，延展性能优异，砂面均匀锋利，具有超强的磨削力和耐磨度，加工精度高、表面质量好、加工工件表面一致性好等特点。适用范围：主要用于与各种基材（如海绵、泡沫等）复合，转换成不同规格尺寸磨具，用于手工或机械对各类工件平面、异型面进行打磨和抛光。

Latex polyester film backing, good flatness and high accuracy. Great intensity and retention, average sanding efficiency and excellent in grinding and wear resisting. Very good conformity of apperance after polished. Generally used for compound materials such as sponge and foam ,can be convert into different shapes for manual or machine polishing on flat and complex surfaces.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯薄膜 polyester film	1400	良好 good	●		●	●	P120–P1200

乳胶薄膜菱形产品
Rhombus coated latex polyester film sanding roll

乳胶薄膜产品的升级产品，独特的菱形砂面，具有超强的防堵散热效果，磨削精度高、表面质量好，不易烧伤工件。适用范围：主要用于转换成各种异型产品，对金属、塑料（主要为3C电子产品外壳、精密仪器等）等进行表面磨削、抛光处理。

Latex polyester film backing, rhombus-shape coated. The special coating greatly improved efficiency of anti-clogging and heat dissipation, especially with high accuracy and good performance. Generally convert into different shapes to polish and grind on metal, plastic(3C electronic shells and precision instruments).

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯薄膜 polyester film	1400	良好 good	●		●	●	P120–P1200



网格砂布
Sanding screen

适用范围：一种新型防堵塞精密抛光工具、磨削、抛光散热和去屑性能良好，有两个工具面，可双面磨削。

Synthetic fiber, as a new created abrasive products with excellent performance on anti-clogging, high accuracy, heat dissipation and dedusting, it's double side workable and cost-effective. Generally used for polishing wood, wall, varnish and pating, wet or dry both available. Can collecting dust during operation, no polution.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
合成纤维 synthetic fiber	定制 customize	良好 good	可定制各种形状 various shapes can be customized				P60–P400

彩色网格砂布
Colorized sanding screen

防堵散热性能好，打磨效率高。适用范围：广泛应用于木器、墙壁、漆面等打磨，可使用干磨、湿磨等多种工况，配套独尘设备可实现无尘打磨。

Sythetic fiber in different colors, as a new created abrasive products with excellent performance on anti-clogging, high accuracy, heat dissipation and dedusting, it's double side workable and cost-effective. Generally used for polishing wood, wall, varnish and pating, wet or dry both available. Can collecting dust during operation, no polution.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
合成纤维 synthetic fiber	定制 customize	良好 good	可定制各种形状 various shapes can be customized				P60–P400

植绒网格砂布
Velcro backed sanding screen

使用方便和环保，打磨效率高，具有很好的弹性和超强防堵功能。适用范围：适用于各种易堵塞工件的机械自粘式无尘打磨。

Synthetic fiber backed with velcro, it can be attached on power tools , as a new created abrasive products with excellent performance on anti-clogging, high accuracy, heat dissipation and dedusting, it's double side workable and cost-effective. Generally used for polishing wood, wall, varnish and pating, wet or dry

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
网格布 mesh	1000	良好 good	●		●	●	P60–P1000

乳胶纸涂层干砂

Latex dry sanding paper sheet with stearate coating

氧化铝涂层砂纸，具有适当的柔软性。适用范围：主要用于家具、木材、汽车、船体、机床腻子的打磨，精密仪器的抛光。

Import Cet latex paper backing, aluminum oxide with stearate coating, good flexibility. Generally used for polishing on furniture, wood, automotives, vessel, machine putty and precise instruments.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
进口乳胶纸 C-et latex paper	230x280	良好 good	●		●			P60-P800

进口高档乳胶纸涂层干砂

Import Latex paper sheet with stearate coating

涂层干磨砂纸，具有极好的柔软性、耐水、耐酸、碱及各种溶剂。适用范围：主要用于家具、木材、汽车、船体、机床腻子的打磨，精密仪器的抛光。

Import Cet latex paper backing, aluminum oxide with stearate coating, good flexibility. Generally used for polishing on furniture, wood, automotives, vessel, machine putty and precise instruments.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
进口乳胶纸 C-et latex paper	230x280	良好 good	●		●	●		P60-P800

进口高档乳胶纸涂层干砂

Import Latex paper sheet with stearate coating

抗堵塞，耐热耐磨，打磨快速，纸质坚韧，不易磨损，特殊超涂层，不易黏附灰尘、堵塞，砂粒锋利，打磨工件表面质量好。适用范围：特别适用于油漆打磨，具有使用寿命长，功效高等特点，可提高打磨效率和打磨质量，节省成本。

Import latex paper backing, anti-clog, heat resistant and wear resisting, good performance, durable with special coating, very sharp grinding. Especially designed for polishing on painting and varnish. Very cost-effective.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
进口乳胶纸 C-et latex paper	1400	良好 good	●		●	●		P60-P800

A276干砂

A276 dry sanding paper sheet

砂面锋利耐磨、防堵性能优异，磨削效率高，打磨效果好。适用范围：主要用于家具、木器、汽车、船体等腻子、漆面的打磨和抛光。

Import latex paper backing, anti-clog, heat resistant and wear resisting, good performance. Generally used for polishing on varnish and putty of furniture, wood, automotive, vessel.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
进口乳胶纸 C-et latex paper	1400	良好 good	●		●	●		P60-P800

高档乳胶纸涂层干砂

Superior latex dry sanding paper sheet with stearate coating

产品平整柔韧，强度高，延展性能优异，砂面均匀锋利，具有超强的磨削力和耐磨度，加工精度高、表面质量好、加工工件表面一致性好等特点。适用范围：主要用于与各种基材（如海绵、泡沫等）复合，转换成不同规格尺寸磨具，用于手工或机械对各类工件平面、异型面进行打磨和抛光。

Cet latex paper backing, good flatness and high intensity, great extension. Sharp grinding and wear resisting, high accurate polishing, good conformity to ensure the appearance in average nice look. Generally used for compound materials such as sponge and foam, can be converted into different shapes for manual or machine polishing on flat and complex surfaces.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
优质乳胶纸 C-et latex paper	230x280	良好 good	●		●	●		P60-P800

牛皮纸涂层干砂

Kraft dry sanding paper sheet with stearate coating

柔韧性好，耐磨、耐折叠，磨削锋利，防堵性好。适用范围：主要用于墙面、家具、木雕等打磨和抛光。

Cet kraft paper backing, flexible and wear resisting, easy to fold, sharp grinding and anti-clogging. Generally used for polishing on wall, furniture and wood.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
C型纸 C-et size paper	230x280	良好 good	●		●	●		P60-P800

白纸涂层干砂

White paper dry sanding sheet

强度高，柔韧性好，锋利耐磨，防堵散热性能好。适用范围：主要用于装饰装潢、家具制造等行业。

Cet white paper, high intensity, flexible and sharp grinding, anti-clogging and heat dissipation. Generally used for polishing in decorative and furniture manufacturing industries.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
C型纸 C-et size paper	230x280	良好 good	●		●	●		P60-P800

石英砂木砂纸
quartz sand paper sheet

价格实惠，采用高纯度石英砂作为磨料，它具有坚硬耐磨、切削锋利、理化性能稳定。适用范围：打磨各种木料、腻子外，还能直接打磨玻璃。

Cwt paper backing, quartz sand. Durable and wear resisting, sharp polishing with stable working efficiency. Generally used for polishing on all wood, putty and glass

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	一般 generally	●		●		P36–P400

玻璃砂木砂纸
Glass sand paper sheet

价格实惠，采用高纯度玻璃砂作为磨料。适用范围：它具有坚硬耐磨、切削锋利、理化性能稳定，能打磨各种木料、腻子等。

Cwt paper backing, glass sand. Durable and wear resisting, sharp polishing with stable working efficiency. Generally used for polishing on all wood, putty and glass

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	一般 generally	●		●		P36–P400

石榴石木砂纸
Garnet sand paper sheet

采用高纯度石榴石作为磨料，它具有坚硬耐磨、切削锋利、理化性能稳定。适用范围：打磨各种木料、腻子外，还能直接打磨玻璃。

Cwt paper backing, garnet sand. Durable and wear resisting, sharp polishing with stable working efficiency. Generally used for polishing on all wood, putty and glass

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	一般 generally	●		●		P36–P400

彩色木砂纸
colorized sand paper sheet

适用范围：适用于各种木料、非金属腻子、玻璃的打磨外，还可以用作美容砂纸。

Cwt paper backing, colorized sand. Generally used for all wood, nonmetal putty, glass and even cosmetic sanding.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	一般 generally	●		●		P36–P400

高档木砂纸
Superior sanding paper sheet

适用范围：适用于各种木料、家俱的打磨和抛光，具有磨削持久，不粘灰，脱屑性

Cwt paper backing, aluminum oxide, generally used for polishing on wood and furniture, very good in durable and deducting.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	一般 generally	●		●		P36–P400

重磅纸木砂纸
Heavy paper sanding sheet

适用范围：适用于各种板材、地板的打磨和抛光。能做成多种彩色砂面。

Ewt paper backing, aluminum oxide, generally used for polishing on panels, board, and wood floor. Can be colorized.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E-wt paper	800	一般 generally			●	●	P36–P400

氧化铝木砂纸
Aluminum oxide paper sheet

适用范围：适用于各种木材、腻子、玻璃的打磨和抛光。

Cwt paper backing, aluminum oxide. Generally used for polishing on wood, putty, and glass.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	一般 generally	●		●		P36–P400

HEAVY ABRASIVE BELTS

硬布基砂带系列

DZY71

锆刚玉聚酯砂带

Zirconium polyester cloth belt

超重型砂带，具有很高的强度和机械磨削性能，适合做成各种砂带，用于超重负荷磨削。适用范围：主要用于黑色金属、有色金属、硬质非金属等材料打磨，也用于中、高密度纤维板的粗磨。

Ultra-heavy Yarl polyester cloth backing, high strength and good mechanical polishing efficiency, can be used for making belts for heavy-duty polishing on ferrous metal, nonferrous metal and hard nonmetal materials, and rough sanding on medium or high density fiberboards.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
聚酯布 Polyester	1400	良好 good		●	●			P36–P120

DZY72

锆刚玉涂层砂带

Zirconium sanding belt with stearate coating

超重型、耐磨型涂层砂带，强度高，机械磨削性能好，具有良好的散热性和防堵塞性能。适用范围：主要用于钛合金、不锈钢、精密铸造、体育运动器材等难磨金属的磨削。

Ultra-heavy Yarl polyester cloth backing with extra stearate coating, high strength and good mechanical polishing efficiency, excellent heat dissipation and anti-clogging. Generally used for titanium alloy, inox, accurate die casting, sports equipment etc hard polishing steel.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
聚酯布 Polyester	1400	良好 good		●	●			P36–P120

DZY76

锆刚玉涂层砂带

Zirconium sanding belt with stearate coating

超重型、锋利型涂层砂带，具有很高的强度，耐热性好，防堵性能优异，加工效率高，寿命长，特别适合高速金属磨削，可干磨和湿磨。适用范围：主要用于各类金属铸件、暖气片等打磨，也可用于不锈钢、钛合金、硬质非金属等的打磨。

Ultra-heavy Yarl polyester cloth backing with extra stearate coating, high strength and good mechanical polishing efficiency, excellent heat dissipation and anti-clogging. Generally used for wet or dry high-speed polishing on metal. Generally used for polishing all diecasting metal parts, heating radiator, and inox, titanium, hard nonmetal objects.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
聚酯布 Polyester	1400	良好 good		●	●			P36–P120

GZX71

页轮锆刚玉砂卷

Zirconium cloth roll for flap discs

高档异型产品专用砂卷，重型砂带。适用范围：主要用于制成千页轮、平面轮、砂布轮等异型产品，用于各种难磨金属及硬质非金属等的磨削和抛光。

Rigid Xarl cloth backing, specially for making flap discs and flap wheels. Generally used for hard metal and nonmetal polishing.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
聚酯布	1400	良好 good			●	●		P36–P320

MDJ841

硬布基堆积磨料砂带

Compact polyester cloth belt

堆积磨料砂带，强度高，延伸率小，具有很高的磨削精度和使用寿命。适用范围：适合转换成各类宽窄砂带，对各种金属，特别是不锈钢、钛合金等工件进行重负荷磨削和抛光。

Compact sanding grains, high strength, low extension, very high accurate and long lasting polishing. Generally used for making belts to polishing all kinds of metals, especially for inox, titanium alloy workpiece.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
聚酯布 Polyester	1600	良好 good		●	●			P80–P600

TMY98

软木精磨砂带

Accurate sanding belt

采用高强度布基，特制的软木磨料及特殊制造工艺生产而成。产品强度高、延伸率小、磨削精度高，具有超长的使用寿命。研磨时具有良好散热效，及平滑，研磨效果均，光洁度高等特点，极具弹性的软木颗粒在磨削时起到缓冲作用，可以达到极佳的表面光洁度和镜面效果。适用范围：特别适合用于钛合金板材、碳钢、不锈钢板材拉丝、航空、兵工企业、不锈钢管件、有色金属、特种铝材、手术剪刀等加工领域。

Yarl polyester cloth backing, special grain and unique technology. High strength, low extension, high accurate and long lasting polishing. Good heat dissipation, average sanding efficiency and good smoothness. the buffering action of elastic grain can reach excellent smoothness and mirror surface after polishing. Generally used for polishing titanium panels, carbon steel, inox plate drawing, aircraft, weapons, inox pipes, ferrous metal, special aluminum, surgical scissors.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
混纺布 Blend cloth	1400	良好 good		●	●			P80–P1200

TAX61

强力金属砂带

Rigid metal sanding belt

重型砂带，采用特殊磨料和先进工艺制造，磨削性能优异，表面有特殊功能型涂层，散热效果好，磨削效率高。适用范围：适合各种金属及金属板材、带材的表面拉丝以及各类金属制品的磨削和抛光。

Xarl cloth backing, special grain and unique technology. High performance, with special functional extra coating, good heat dissipation, high efficiency polishing. Generally used for polishing and grinding all kinds of metals and metal panels and metal drawing.

结构 structure			形状 shape					粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc		
混纺布	1400	良好 good		●	●			P36–P320

ABRASIVES IN SHEET

张页产品系列

碳化硅水砂纸
Silicon carbide waterproof sandpaper

耐水性好，柔软性适中。适用范围：适用油漆及填充料加工及汽车修理行业等。

Cwt paper, Waterproof, normal flexible. Generally used for varnish and automotive repairing

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
碳化C型纸 C-wt paper	230x280	良好 good	●		●		P60–P3000

高档碳化硅水砂纸
Superior silicon carbide waterproof sandpaper

耐水性好，柔软性好。适用范围：适用油漆及填充料加工及汽车修理行业等。

Import Cwt paper, waterproof, good flexible. Generally used for varnish and automotive repairing

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
进口C型纸 C-wt kraft paper	230x280	良好 good	●		●		P60–P3000

犀利耐水砂纸
Sharpness waterproof sandpaper

犀利耐水砂纸，具有较好的柔软性、耐水、耐酸、碱及各种溶剂。适用范围：主要用于汽车、船体、墙壁、机床腻子的打磨，精密仪器的抛光。

Cwt paper backing, aluminum oxide, waterproof, good flexible and liquid chemical resistance. Generally used for polish on automotive, vessel, wall, machine putty and precise instrument.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	良好 good	●		●		P60–P2000

锋利耐水砂纸
"fengli" waterproof sandpaper

锋利耐水砂纸，具有较好的柔软性、耐水、耐酸、碱及各种溶剂。适用范围：主要用于汽车、船体、墙壁、机床腻子的打磨，精密仪器的抛光。

Cwt paper backing, aluminum oxide, waterproof, good flexible and liquid chemical resistance. Generally used for polish on automotive, vessel, wall, machine putty and precise instrument.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	230x280	良好 good	●		●		P60–P2000

犀利刚玉砂布
Sharpness emery sanding cloth sheet

耐磨性强，防潮防霉。适用范围：应用于金属、陶瓷、橡胶、塑料、木材、半导体、皮革等多种材料制品的机械加工和手工打磨。

Cotton cloth backing, wear resisting, moistureproof and antifungus. Generally used for polishing on metal, ceramic, plastic, rubber, wood, semiconductor and leather

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 Cotton	230x280 210x270	一般 generally	●		●		P24–P320

CSG砂布
CSG emery sanding cloth sheet

具有粘结牢靠，磨削锋利。适用范围：适用于金属和非金属，硅酸盐材料等多种材

Blended cloth backing, durable bonded, sharp grinding. Generally used for polishing on metal and nonmetal, silicate concrete blocks.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	230x280 210x270	一般 generally	●		●		P24–P320

耐水蓝砂布
Waterproof blue sanding cloth sheet

具有粘结牢靠，磨削锋利。适用范围：适用于金属和非金属，硅酸盐材料等多种材

Blended cloth backing, firmly bonded, sharp grinding. Generally used for polishing on metal and nonmetal, silicate concrete blocks.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	230x280	良好 good	●		●		P36–P320

高档红砂布
Superior red sanding cloth sheet

附着力强，磨削持久锋利的特点。适用范围：主要用于金属、陶瓷、橡胶、木材、皮革和玻璃的打磨和抛光。

Blended cloth backing, firmly bonded, sharp grinding. Generally used for polishing on metal, ceramic, rubber, wood, leather and glass.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	230x280	良好 good	●		●		P36–P320

PCG81

高档碳化硅重磅纸砂带

Superior silicon carbide Get paper belt

进口超重磅纸纸基砂带，韧性好、砂面平整、延伸率小，适合做各种砂带、异型制品。适用范围：主要用于高中密度板、人造板的打磨和抛光。

Import Get paper backing, good stiffness, flat sanding face, low extension. Can be made into belts and special shapes for polishing on high/medium density board and artificial board.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
G型纸 G-wt paper	1400	良好 good		●	●		P24–P600

PCD52-1

高档碳化硅涂层手压砂带

Superior silicon carbide paper belt with extra coating

D级涂层纸带，采用进口D级纸，强度高、砂面平整、延伸率小，不易变形，散热性好、防堵耐磨，适合加窄长砂带及异型制品。适用范围：主要用于家具、地板、橡胶、塑料、皮革、木材、木器、人造板以及各类腻子、漆面的打磨和抛光。

Import Dwt paper backing with extra coating, flat sanding face, low extension, low distortion, good heat dissipation and anti-clogging. Can be made into narrow long belt and special shapes to polish on furniture, wood floor, rubber, plastic, leather, wood working, wooden parts, artificial board, putty and varnish.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
D型纸 D-wt paper	1400	良好 good		●	●	●	P36–P600

PKD51

氧化铝纸基砂卷

Aluminum oxide paper roll

D级纸带，砂面平整、延伸率小，不易变形，适合加窄长砂带及异型制品。适用范围：主要用于家具、地板、橡胶、塑料、皮革、木材、木器、人造板以及各类腻子、漆面的打磨和抛光。

Dwt paper backing, flat sanding face, low extension, low distortion. Can be made into narrow long belts and special shapes to polish on furniture, wood floor, rubber, plastic, leather, wood working, wooden parts, artificial board, putty and varnish.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
D型纸 D-wt paper	1400	良好 good		●	●	●	P40–P800

PKD51-M

菱形纸基砂卷

Rhombus Aluminum oxide paper roll

产品耐磨锋利，防堵性优异。适用范围：适合转换成各种规格尺寸的拉绒、不干胶异型产品，对墙壁、漆面、塑料、家具、木器等非金属以及、铜、铝、锌等有色软金属进行打磨和抛光，打磨效率高，使用寿命长，是一款价格实惠、性能优良的异型转换产品。

Dwt paper backing, Rhombus coated. Very good wear-resisting and anti-clogging. Generally converted into PSA and Velcro discs to polish on wall, varnish, plastic, furniture, wooden parts and nonmetal and even soft metals such as cooper, aluminum, zinc. High grinding efficiency and long lasting usage, very cost-effective.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
120g 140g 菱产纸 Dwt Paper	1400	良好 good		●	●	●	P60–P600

PCD52

碳化硅涂层手压砂带

Silicon carbide paper belt with extra coating

D级涂层纸带，砂面平整、延伸率小，不易变形，散热性好、防堵耐磨，适合加工窄长砂带及异型制品。适用范围：主要用于家具、地板、橡胶、塑料、皮革、木材、木器、人造板以及各类腻子、漆面的打磨和抛光。

Dwt paper backing with extra coating, flat sanding face, low extension, low distortion, good heat dissipation and anti-clogging. Can be made into narrow long belt and special shapes to polish on furniture, wood floor, rubber, plastic, leather, wood working, wooden parts, artificial board, putty and varnish.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
D型纸 D-wt paper	1400	良好 good		●	●	●	P36–P600

PKE51-M

230g、250g、300g

高档重磅菱形纸基砂卷

Srhombus Superior rigid aluminum oxide paper belt

选用进口重磅纸基，产品强度高，防堵塞、抗撕裂、耐破损性好。适用范围：适合转换成各种规格尺寸砂带，对大型板材、皮革、塑料、家具、地板、有色金属的进行磨削和抛光。亦可转换成各种高粘拉绒、不干胶等异型产品，对汽车车门框、镁铝合金、水暖器材、红木家具、墙面、漆面等进行打磨。

Import heavy paper backing, very high intensity anti clogging, tear-resistant, not easy to break, can be made into belts to polish on large panel, leather, plastic, furniture, ferrous metal. And also can be convert into PSA and Velcro discs to grinding on automotive door frame, magnalium, water heater, rosewood, wall, and varnish.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P60–P600

PCE51-1

高档碳化硅E级纸砂卷

Superior Silicon carbide Eet paper belt

进口重型纸纸基砂带，具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、砂卷和异型制品。适用范围：家俱、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

Import Eet paper backing, normal flexible, flat sanding face, low extension, can be made into belts and special shaped products for fine polishing on furniture, wood floor, rubber, plastic, leather, wood parts, artificial board.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P24-P800

PCE52-1

高档涂层碳化硅纸带

Superior Silicon carbide Eet paper belt with extra coating

进口重磅纸基，涂层E级纸带，具有适中的柔软度，砂面平整、脱屑性好、延伸率小，适合做各种砂带、异型制品。适用范围：主要用于家俱、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

Import Eet paper backing, normal flexible, flat sanding face, low extension, can be made into belts and special shaped products for fine polishing on furniture, wood floor, rubber, plastic, leather, wood parts, artificial board.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P24-P800

PPE81

皮革专用纸带

Aluminum oxide Eet paper belt for leather

皮革专用砂带，具有较好的柔软度，砂面平整、延伸率小。适用范围：主要用于皮革、油漆、塑料、木材、木器精磨和抛光。

Eet paper backing, specially designed for leather. Very good flexibility, flat sanding face, low extension. Generally used for fine polishing on leather, painting, plastic, wood working, wooden parts.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●		P36-P800

PCC52

涂层碳化硅纸基砂带

Silicon carbide Cwt paper belt with extra coating

耐磨，脱屑性好，不粘灰。适用范围：主要用白木、油漆、腻子、布料等行业的打磨，属于超精磨。

Cwt paper backing, wear-resisting, deducting. Generally used for ultra-fine polishing on white wood, varnish, putty and raw cloth.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	1400	良好 good		●	●	●	P24-P800

PKE52-1

高档涂层E级纸砂卷

Superior Aluminum oxide Eet paper belt with extra coating

进口重磅纸纸基涂层砂带；脱屑性好、散热性好，具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、异型制品。适用范围：主要用于家俱、地板、橡胶、塑料、皮革、木材、木器、人造板用油漆表面的精磨和抛光。

Import Eet paper backing, good deducting and heat dissipation, normal flexible, flat sanding face, low extension, can be made into belts and special shaped products for fine polishing on furniture, wood floor, rubber, plastic, leather, wood parts, artificial board.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P36-P800

PKC52

高档涂层C级纸砂带

Superior aluminum oxide Cwt paper belt with extra coating

氧化铝涂层纸基，耐磨，脱屑性好，不粘灰。适用范围：主要用白木、油漆、腻子、皮革、布料等行业的打磨，属于超精磨及加工成圆盘状自粘式产品用于汽车等行业的打磨。

Cwt paper backing, Aluminum oxide, wear-resisting, deducting. Generally used for ultra-fine polishing on white wood, varnish, putty, leather and cloth. Also can be converted into Velcro disc for automotive polishing.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	1400	良好 good		●	●	●	P24-P800

PAPER ABRASIVE ROLLS

纸基砂带系列

236Ua

高档涂层纸基砂卷

Superior paper sanding roll with extra coating

采用高档进口乳胶纸。适用范围：适用于各种金属表面油漆修补处理，和原子灰的打磨，并适用于家具、室内装饰、木材等行业，它的特殊防堵塞涂层，使产品寿命要长于其他同类产品，且不易损伤工件，保证工件表面质量。

Superior import latex paper. Generally used for metal varnish repairing and putty grinding, also available for polishing on furniture, upholstery, wood working. The special anti-clogging coating improved using life, and not easy to burn the work piece to ensure good performance.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
乳胶纸 Latex paper	1400	良好 good	●	●	●	●	P80–P600

236Ub

高档涂层纸基砂卷

Superior paper sanding roll with extra coating

使用D型纸基，产品强度高、平整，耐磨、抗撕裂。适用范围：可替换成各种异型产品用于汽车修理、毛刺打磨、家具打磨等。使用寿命长，加工工件表面质量好。该产品是236Ua的实惠型产品，与其形成高低互补，满足不同层次客户需求。

Dwt paper backing, high intensity, good flatness, wear-resisting, not easy to split. Generally for automotive varnish repairing, deburring and furniture grinding, good performance after polished. It's a more economic option of 236Ua.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
乳胶纸 Latex paper	1400	良好 good	●	●	●	●	P80–P600

PKE51

氧化铝E级纸砂卷

Aluminum oxide Ewt paper belt

重型纸基砂带，具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、砂卷和异型制品。适用范围：主要用于家俱、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光及加工成圆盘状自粘式产品用于汽车等行业的打磨。

Ewt paper backing, normal flexible, flat sanding face, low extension, can be made into belts and special shaped products for fine polishing on furniture, wood floor, rubber, plastic, leather, wood parts, artificial board, also can be made into Velcro disc for polishing in automotive industry.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P24–P800

PKE51–1

高档氧化铝E级纸砂卷

Superior Aluminum oxide Ewt paper belt

进口重型纸纸基砂带，具有适中的柔软度，砂面平整延伸率小，适合做各种砂带、砂卷和异型制品。适用范围：主要用于家俱、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光及加工成圆盘状自粘式产品用于汽车等行业的打磨。

Import Ewt paper backing, normal flexible, flat sanding face, low extension, can be made into belts and special shaped products for fine polishing on furniture, wood floor, rubber, plastic, leather, wood parts, artificial board, also can be made into Velcro disc for polishing in automotive industry.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P24–P800

PCE51

碳化硅E级纸砂卷

Silicon carbide Ewt paper belt

重型纸基砂带，具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、砂卷和异型制品。适用范围：家俱、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

Ewt paper backing, normal flexible, flat sanding face, low extension, can be made into belts and special shaped products for fine polishing on furniture, wood floor, rubber, plastic, leather, wood parts, artificial

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	1400	良好 good		●	●	●	P24–P800

AX207

页轮专用砂卷

Aluminum oxide cloth roll for flap discs

普通百页轮专用砂卷，磨削锋利，耐磨性好，使用寿命长。同步消耗性好，综合性价比高。适用范围：主要用于加工成各种尺寸百页片，用于各种金属和非金属表面磨削和抛光。

Aluminum oxide, specially designed for making flap discs. Sharp grinding and high efficiency. With synchronous consumption of sanding grains and long lasting polishing, generally used for making flap discs to polish on all metal and nonmetal.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
高棉布 Polyester cloth	1400	良好 good		●	●		P40–P80

DCY71

碳化硅聚酯基砂带

Silicon carbide polyester sanding belt

超重型砂带，具有很高的强度和很小的延伸率，特别适合做成高速、重负荷宽幅大砂带。适用范围：用于加工各种板材。如高密度纤维板、中密度纤维板、石膏板、硅钙板及大理石、陶瓷、玻璃塑料等材质的打磨和抛光。

Ultra-heavy sanding belt, very high strength and few extension, specially for making wide belt for high-speed and heavy-duty polishing. Generally used for polishing all kinds of plates, such as high density fiberboards, medium density fiberboards, plasterboards, calcium silicate boards, granite, ceramic, glass and plastic.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 Polyester	1400	良好 good		●	●		P40–P320

BCY71

碳化硅混纺基砂带

Silicon carbide blended cloth sanding belt

重型砂带，具有很高的强度和机械磨削性能。适用范围：适合转换各种宽砂带用于中密度纤维板、刨花板、装饰板等人造板的磨削和抛光。

Heavy sanding belt, very high strength and mechanical grinding efficiency. Generally used for making wide belts to polish on artificial boards such as, medium density fiberboards, chipboards, and decorative sheets.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P40–P320

GXC98

优质碳化硅砂带

Superior silicon carbide sanding belt

重型砂带，适合做宽砂带。适用范围：主要用于普通板材及刨花板的磨削和抛光。

Rigid sanding belt, Xwt blended cloth backing. Generally used for making wide belts to polish on normal panel and chipboards.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36–P320

GXK51-PL

菱形能差形强力砂带

Rhombus multifunction sanding belt

该砂带为多用途、多功能砂带，采用X型重型布基，产品强度高，延伸率小，用途广泛。适用范围：可以转换成各种规格尺寸的砂带，用于台式砂光机或手持式砂光机对各种金属零部件、木器、家具、鞋材、塑料等进行磨削和抛光，也可转换成宽带用于大型板材的砂光。该产品是公司GXK51-P的升级产品。

Multifunction and multipurpose sanding belt, Xwt cloth backing. High strength, low extension, multi applications. Generally used for making belts to be equipped on portable sander and table grinder to polish all metal parts, wood parts, furniture, shoes, plastics. And also can be made into wide belts for polishing big panels.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P60–P800

BCY71-L

菱形硬布板材砂带

Rhombus silicon carbide sanding belt for panels

该产品为板材专用砂带，采用Y型布基，具有很高的强度、砂面平整度以及很小的延伸率。适用范围：适合转换成各种板格宽带，用于纤维板、刨花板、实木板、硅酸盐板（水泥板）以及各种金属卷板的磨削、拉丝和抛光。具有磨削表面质量好，防堵性能优异，锋利高效，持久耐用等特点，与普通板材砂带相比具有更高的防堵塞效果、使用寿命和磨削效率。

Ywt polyester cloth backing, especially designed for polishing panels. Very high strength, great flatness of sanding face, low extension. Generally used for making wide belts for polishing and drawing on fiberboards, chipboard, solidwood, concrete block, and all metal sheets. Good appearance after polishing, anti-clogging, sharp grinding and long lasting usage.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P60–P320

TCC56

碳化硅板材砂带

Silicon carbide sanding belts for panels

重型砂带，具有较好的强度和磨削性能。适用范围：适合转换成各种宽窄带，用于胶合板、刨花板的打磨，也适合用于玻璃、陶瓷、硅酸盐板、大理石、橡胶、塑料、家具等的磨削和抛光。

Rigid sanding belt, very good strength and good performance on grinding. Generally used for making belts to polish on plywood, chipboard and glass, ceramic, concrete block, granite, rubber, plastic and furniture.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36–P320

GXK51-LE

普通氧化铝砂带

Normal Aluminum Oxide sanding belt

适用范围：适合一般金属和非金属的磨削和抛光，以及用于手持式砂光机的DIY应用。

Xwt blended cloth backing, suitable for making narrow belts. Generally used for metal and nonmetal polishing, and equipped on portable grinder for DIY applications.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36–P320

GXK51-K

手撕硬布基砂带

Hand split aluminum oxide sanding belt

产品韧度好，易于手撕。适用范围：用于手工磨削或加特式工具磨削，用于家具、硬木以及一般金属的打磨，亦可转换成小窄砂带使用。

Good stiffness, easy for hand split. Generally used for portable sanding on furniture, hard wood and normal metals. Also can be made of narrow belts.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36–P320

GXK61

氧化铝防水砂带

Aluminum oxide waterproof sanding belt

适用范围：适合加工成各种水磨及带油磨削，如渔具、渔杆等。

Xwt blended cloth backing. Generally used for wet grinding or polishing with oil such as fishing tools.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 Blend cloth	1400	良好 good		●	●		P36–P600

AX308

煅烧砂页轮专用砂卷

Calcined aluminum oxide cloth roll for flap discs

煅烧砂百页轮专用砂卷，采用高温煅烧氧化铝，产品锋利性好，加工效率高。产品同步消耗性好，使用寿命长。适用范围：主要加工成各种尺寸百页片，用于各种金属和非金属表面磨削和抛光。

Calcined aluminum oxide, specially designed for making flap discs. Sharp grinding and high efficiency. With synchronous consumption of sanding grains and long lasting polishing, generally used for making flap discs to polish on all metal and nonmetal.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
高棉布 Blend cloth	1400	良好 good		●	●		P40–P80

AX307

煅烧砂百页轮专用砂卷，采用高温煅烧氧化铝，产品耐磨性好，使用寿命长。产品同步消耗性好，使用寿命长。适用范围：主要加工成各种尺寸百页片，用于各种金属和非金属表面磨削和抛光。

Calcined aluminum oxide, specially designed for making flap discs. Sharp grinding and high efficiency. With synchronous consumption of sanding grains and long lasting polishing, generally used for making flap discs to polish on all metal and nonmetal.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
高棉布 High cotton cloth	1400	良好 good		●	●		P40–P80

AX208

页轮专用砂卷

Aluminum oxide cloth roll for flap discs

普通百页轮专用砂卷，磨削锋利，加工效率高同步消耗性好，综合性价比高。适用范围：主要用于加工成各种尺寸百页片，用于各种金属和非金属表面磨削和抛光。

Aluminum oxide, specially designed for making flap discs. Sharp grinding and high efficiency. With synchronous consumption of sanding grains and long lasting polishing, generally used for making flap discs to polish on all metal and nonmetal.

结构 structure			形状 shape				粒度范围 grit range
基体 backing	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
高棉布 High cotton cloth	1400	良好 good		●	●		P40–P80

中國的玉立　世界的犀利

○ 玉立集团城北工业园　Sharpness manufacturing base I

○ 玉立集团樊牌工业园　Sharpness manufacturing base II

企业邮箱
内贸部：sales@sharpness.com.cn
外贸部：export@sharpness.com.cn
电商部：sally@sharpness.com.cn
https://sharpness.en.alibaba.com/
集团总部：中国湖北省通城县玉立大道218号　邮编：437400

玉立集团销售图